

BETTER SNOOKER, BETTER LIFE.

Snooker[®]

Shanghai Chuangli Refrigeration Equipment Co.,Ltd.

Factory Address: No. 555 Tianyi RoadQingpu District, Shanghai, China.

Email: sales@snooker.tm

Sales Office Address: Room 610, Building D, No.1058 ShenbinSouth Road, Minhang District, Shanghai, China.

Web: www.snooker.tm

Snooker[®]

SNOOKER ICE MACHINE

FRESH. SIMPLE. SMART.



About Us

3

years warranty

16⁺

years history

30⁺

R&D employees.

50⁺

patents

100⁺

export to countries

300⁺

staffs

60000

square meters factory



ICE SHAPES



Cube

- Larger heat exchange area speeds up the cooling rate of beverages
- Can do different specifications of ice cubes, perfect for mixed drinks, carbonated beverages, ice displays and ice retailing in all types of operations. Popular for restaurant, convenience store, hotel or other establishment.



Bullet

- Much more crystal clear Complete shape, high cooling efficiency Heavier bullet ice weight & slower melting High hardness, slower melting.
- Not easy to melt for better taste drinking. More popular for home, restaurants, bar, hotels, etc.



Nugget / Granular

- The ice are presented in the most natural shape, and the temperature is basically below zero degrees Celsius.
- Easy to chew, fun to crunch, absorb flavors of beverages, cools beverages quickly. Perfect for soft or blended drinks, smoothies, food displays and everyday uses.



Flake

- Because the water content is less than 2%, this type of ice is the driest and has the lowest freezing point.
- It is composed of irregular ice cubes, the thickness can be adjusted between 1 to 2 mm. It is very suitable for industrial processing, fish and seafood display and transportation of perishable goods, as well as optimization of dough temperature.



Crescent

- Crescent ice better control the dosage, balance the ratio of beverage and ice.
- Recommended hardness, not easy to melt, good for cold drinks.



Chewbit

- The soft, chewable ice form is a favorite for fountain beverages, smoothies, blended cocktails, salad bars, therapeutic use, and many other applications.

CONTENTS



Cube Ice Machine

02-07



Ice Dispenser

08-09



Bullet Ice Machine

12-13



Nugget Ice Machine

14-15



Flake Ice Machine

16-17



Crescent Ice Machine

18-19



Chewbit Ice Machine

20-21

Products Advantage
After-sales Service Promise

22-23





Half
22×13×22mm / 28×13×22mm
5g / 6g



Standard
22×22×22mm
9g




Bigger
28×28×22mm
15g


CUBE ICE MACHINE

Vertical Type - Classic


MODEL	SK-80P	SK-120P
Ice Production	36kg / 24h	55kg / 24h
Ice Storage	15 kg	18 kg
Power	370 w	480 w
Gross Weight	40 kg	50 kg
Dimension	500 × 450 × 803 mm	500 × 590 × 853 mm



MODEL	SK-80PT	SK-120PT
Ice Production	36kg / 24h	55kg / 24h
Ice Storage	15 kg	18 kg
Power	370 w	480 w
Gross Weight	40 kg	50 kg
Dimension	500 × 450 × 840 mm	500 × 590 × 890 mm



MODEL	SK-160P	SK-210P	SK-280P
Ice Production	73kg / 24h	95kg / 24h	127kg / 24h
Ice Storage	36 kg	36 kg	36 kg
Power	520 w	670 w	830 w
Gross Weight	65 kg	66 kg	67 kg
Dimension	660.2 × 707 × 919 mm	660.2 × 707 × 919 mm	660.2 × 707 × 919 mm



CUBE ICE MACHINE

Modular Type – Classic



MODEL	SK-350P	SK-420P
Ice Production	160kg / 24h	190kg / 24h
Ice Storage	140 kg	140 kg
Power	760 w	800 w
Gross Weight	94 kg	96 kg
Dimension	560 × 860 × 1745 mm	560 × 860 × 1745 mm

Products Size (unit:mm)



MODEL	SK-500P	SK-700P
Ice Production	225kg / 24h	315kg / 24h
Ice Storage	200 kg	200 kg
Power	960 w	1420 w
Gross Weight	120 kg	122 kg
Dimension	760 × 860 × 1745 mm	760 × 860 × 1745 mm

Products Size (unit:mm)



MODEL	SK-1000P
Ice Production	455kg / 24h
Ice Storage	200 kg
Power	2300 w
Gross Weight	140 kg
Dimension	760 × 860 × 1920 mm

Products Size (unit:mm)

CUBE ICE MACHINE

Modular Type – Classic



MODEL	SK-1500P	SK-2000P
Ice Production	680kg / 24h	900kg / 24h
Ice Storage	320 kg	320 kg
Voltage	220 V / 1P	380 V / 3 P
Power	2860 w	3800 w
Gross Weight	220 kg	270 kg
Dimension	1227 × 965 × 1927 mm	1227 × 965 × 2057 mm

Products Size (unit:mm)

Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-80P	36 kg / 24 h	15 kg	370 w	40 kg	500 × 450 × 803 mm
SK-80PT	36 kg / 24 h	15 kg	480 w	40 kg	500 × 450 × 840 mm
SK-120P	55 kg / 24 h	18 kg	370 w	50 kg	500 × 590 × 853 mm
SK-120PT	55 kg / 24 h	18 kg	480 w	50 kg	500 × 590 × 890 mm
SK-160P	73 kg / 24 h	36 kg	520 w	65 kg	660.2 × 707 × 919 mm
SK-210P	95 kg / 24 h	36 kg	670 w	66 kg	660.2 × 707 × 919 mm
SK-280P	127 kg / 24 h	36 kg	830 w	67 kg	660.2 × 707 × 919 mm
SK-350P	160 kg / 24 h	140 kg	760 w	94 kg	560 × 860 × 1745 mm
SK-420P	190 kg / 24 h	140 kg	800 w	96 kg	560 × 860 × 1745 mm
SK-500P	225 kg / 24 h	200 kg	960 w	120 kg	760 × 860 × 1745 mm
SK-700P	315 kg / 24 h	200 kg	1420 w	122 kg	760 × 860 × 1745 mm
SK-1000P	455 kg / 24 h	200 kg	2300 w	140 kg	760 × 860 × 1920 mm
SK-1500P	680 kg / 24 h	320 kg	2860 w	220 kg	1227 × 965 × 1927 mm
SK-2000P	900 kg / 24 h	320 kg	3800 w	270 kg	1227 × 965 × 2057 mm




CUBE ICE MACHINE

Under-Counter Type – Exclusive



MODEL	SK-51B	SK-81B	SK-101B
Ice Production	50kg / 24h	80kg / 24h	100kg / 24h
Ice Storage	30 kg	30 kg	30 kg
Power	570 w	680 w	700 w
Gross Weight	50 kg	65 kg	67 kg
Dimension	666 × 637 × 775 mm	666 × 637 × 775 mm	666 × 637 × 775 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-51B	50 kg / 24 h	30 kg	570 w	50 kg	666 × 637 × 775 mm
SK-81B	80 kg / 24 h	30 kg	680 w	65 kg	666 × 637 × 775 mm
SK-101B	100 kg / 24 h	30 kg	700 w	67 kg	666 × 637 × 775 mm



ICE DISPENSER



Advantage

- No touch, more convenient and hygienic for taking ice
- 304 Luxury stainless steel
- Easy to operate and maintain
- Efficient ice dispensing
- Adjustable feet

HD-130B ice dispenser bin can work with SK-350P/SK-420P machine head
HD-220B ice dispenser bin can work with SK-500P/SK-700P/SK-1000P machine head



MODEL	HD-130B
Ice Dispenser Capacity	60kg
Ice Output Speed	5kg / min
Power	210 w
Gross Weight	83 kg
Net Dimension(W×D×H)	560 × 855 ×1360mm
Products Size (unit:mm)	

MODEL	HD-220B
Ice Dispenser Capacity	100kg
Ice Output Speed	5kg / min
Power	210 w
Gross Weight	89 kg
Net Dimension(W×D×H)	760 × 855 ×1360mm
Products Size (unit:mm)	

Summary table

MODEL	Ice Dispenser Capacity	Ice Output Speed	Power	Gross Weight	Net Dimension(W×D×H)
HD-130B	60kg	5kg / min	210w	83kg	560 × 855 × 1360mm
HD-220B	100kg	5kg / min	210w	89kg	760 × 855 × 1360mm



COUNTER TOP ICE WATER DISPENSER

FEATURES

- 3 Option : Ice, Water, Ice &Water
- 3 Operation: LED touch buttons, Mechanical buttons, Infrared induction
- 3 Optional Cup Size: Small, Medium, Large (Volume can be customized)
- Resin front panel with 304 stainless steel body looks luxury
- Sealed refrigeration system to avoid external pollution
- Visible ice storage capacity
- Automatic clean system
- UV Sterilization LED to ensure the health
- ndependent cleaning agent injection port easy for cleaning
- Two drainage ways by back drain pipe or bottom water pan
- Removable air Filter , water pan & spouts easy for cleaning and maintaining


APPLICATION SCOPE

Cafe, Office, Canteen ,Restaurant, Cold Drink Shops, Convenient Shops, Franchise, Hotel, Hospital etc.


COUNTER TOP ICE & WATER DISPENSER



MODEL	SK—229D
Ice shape	Nugget
Daily Output	100kg/24h
Storage capacity	2.8kg
Condenser Type	Air
Refrigerant	R290
Power	404W
Voltage	220V / 50Hz / 60Hz
Net Dimensions(inch)	350 x 600 x 830mm
Installation Type	Countertop



MODEL	SK—369D
Ice shape	Nugget
Daily Output	166kg/24h
Storage capacity	7.5kg
Condenser Type	Air
Refrigerant	R290
Power	591W
Voltage	220V / 50Hz / 60Hz
Net Dimensions(inch)	462 x 600 x 965mm
Installation Type	Countertop



Summary table


Model	Ice shape	Daily Output	Storage capacity	Condenser Type	Refrigerant	Power	Voltage	Net Dimensions	Installation Type
SK-229D	Nugget	100kg/24h	2.8kg	Air	R290	404W	220V/50Hz/60Hz	350 x 600 x 830mm	Countertop
SK-369D	Nugget	166kg/24h	7.5kg	Air	R290	591W	220V/50Hz/60Hz	462 x 600 x 965mm	Countertop




BULLET ICE MACHINE



MODEL	SK-25C	SK-35C
Ice Production	25kg / 24h	35kg / 24h
Ice Storage	15 kg	15 kg
Power	300 w	310 w
Gross Weight	43 kg	43 kg
Dimension	375 × 553 × 762 mm	375 × 553 × 762 mm




MODEL	SK-55C	SK-75C
Ice Production	55kg / 24h	75kg / 24h
Ice Storage	30 kg	30 kg
Power	500 w	670 w
Gross Weight	71 kg	71 kg
Dimension	666 × 637 × 775 mm	666 × 637 × 775 mm




Summary table


Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-25C	25 kg / 24h	15 kg	300 w	43 kg	375 × 553 × 762 mm
SK-35C	35 kg / 24h	15 kg	310 w	43 kg	375 × 553 × 762 mm
SK-55C	55 kg / 24h	30 kg	500 w	71 kg	666 × 637 × 775 mm
SK-75C	75 kg / 24h	30 kg	670 w	71 kg	666 × 637 × 775 mm




NUGGET ICE MACHINE



MODEL	SK-068N	SK-128N
Ice Production	60kg / 24h	120kg / 24h
Ice Storage	20 kg	50 kg
Power	350 w	680 w
Gross Weight	61 kg	112 kg
Dimension	520 × 560 × 955 mm	650 × 660 × 1050 mm



MODEL	SK-258N	SK-358N	SK-458N
Ice Production	250kg / 24h	350kg / 24h	450kg / 24h
Ice Storage	140 kg	140 kg	140 kg
Power	910w	1450 w	2000 w
Gross Weight	130kg	135 kg	140 kg
Dimension	560 × 860 × 1795 mm	560 × 860 × 1845 mm	560 × 860 × 1895 mm



Summary table


Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-068N	60 kg / 24h	20 kg	350 w	61 kg	520 × 560 × 955 mm
SK-128N	120 kg / 24h	50 kg	680 w	112 kg	650 × 660 × 1050 mm
SK-258N	250 kg / 24h	140 kg	910 w	130 kg	560 × 860 × 1795 mm
SK-358N	350 kg / 24h	140 kg	1450 w	135 kg	560 × 860 × 1845 mm
SK-458N	450 kg / 24h	140 kg	2000 w	140 kg	560 × 860 × 1895 mm




FLAKE ICE MACHINE



MODEL	SK-033	SK-053	SK-083
Ice Production	300kg / 24h	500kg / 24h	800kg / 24h
Ice Storage	200 kg	200 kg	200 kg
Voltage	220 V / 50Hz / 1P	220 V / 50Hz / 1P	220 V / 50Hz / 1P
Power	1650 w	2750 w	3450 w
Gross Weight	180 kg	195 kg	200 kg
Dimension	760 × 860 × 1827 mm	760 × 860 × 1990 mm	760 × 860 × 1990 mm



MODEL	SK-103	SK-123	SK-153
Ice Production	1000kg / 24h	1200kg / 24h	1500kg / 24h
Ice Storage	320 kg	320 kg	320 kg
Voltage	380 V / 50Hz / 3 P	380 V / 50Hz / 3 P	380 V / 50Hz / 3 P
Power	6200 w	6300 w	7400 w
Gross Weight	330 kg	330 kg	350 kg
Dimension	1227 × 945 × 2160 mm	1227 × 945 × 2160 mm	1227 × 945 × 2160 mm



Summary table


Model	Output 24hrs	Ice Storage	Voltage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-033	300 kg / 24h	200 kg	220 V/50Hz/1P	1650 w	180 kg	760 × 860 × 1870 mm
SK-053	500 kg / 24h	200 kg	220 V/50Hz/1P	2750 w	195 kg	760 × 860 × 1990 mm
SK-083	800 kg / 24h	200 kg	220 V/50Hz/1P	3450 w	200 kg	760 × 860 × 1990 mm
SK-103	1000 kg / 24h	320 kg	380 V/50Hz/3P	6200 w	330 kg	1227 × 945 × 2160 mm
SK-123	1200 kg / 24h	320 kg	380 V/50Hz/3P	6300 w	330 kg	1227 × 945 × 2160 mm
SK-153	1500 kg / 24h	320 kg	380 V/50Hz/3P	7400 w	350 kg	1227 × 945 × 2160 mm




CRESCENT ICE MACHINE



MODEL	SK-350M	SK-520M
Ice Production	155kg / 24h	234kg / 24h
Ice Storage	140 kg	140 kg
Power	1050 w	1400 w
Gross Weight	105 kg	110 kg
Dimension	560 × 860 × 1720 mm	560 × 860 × 1810 mm



MODEL	SK-720M	SK-1020M
Ice Production	324kg / 24h	481kg / 24h
Ice Storage	200 kg	200 kg
Power	1850 w	2100 w
Gross Weight	129 kg	158 kg
Dimension	760 × 860 × 1810 mm	760 × 860 × 2000 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-350M	155 kg / 24h	140 kg	1050 w	105 kg	560 × 860 × 1720 mm
SK-520M	234kg / 24h	140 kg	1400 w	110 kg	560 × 860 × 1810 mm
SK-720M	324 kg / 24h	200 kg	1850 w	129 kg	760 × 860 × 1810 mm
SK-1020M	481kg / 24h	200 kg	2100 w	158 kg	760 × 860 × 2000 mm




CHEWBIT


CHEWBIT ICE MACHINE



MODEL	SK-258G
Ice Production	250kg / 24h
Ice Storage	140 kg
Power	1160 w
Gross Weight	140 kg
Dimension	560 × 860 × 1795 mm



MODEL	SK-508G
Ice Production	560kg / 24h
Ice Storage	320 kg
Power	2600 w
Gross Weight	280 kg
Dimension	1227 × 947 × 1904 mm



Summary table

Model	Output 24hrs	Ice Storage	Power	Gross Weight	Net Dimension [Feet Included (W × D × H/mm)]
SK-258G	250 kg / 24h	140 kg	1160 w	140 kg	560 × 860 × 1795 mm
SK-508G	560 kg / 24h	20 kg	2600 w	280 kg	1227 × 947 × 1904 mm

PRODUCTS ADVANTAGE

- 304 / 316 luxury stainless steel
- Food grade liner
- Environmentally friendly ABS & PE material
- Copper nickel-plated evaporator, more effective anti-corrosion
- High quality compressor

3 years warranty
24 hours after-sales online Q&A

AFTER-SALES SERVICE PROMISE

